

INDIANA.
N & W 2 P. M.



Township N^o X North of the Base Line, Range N^o II West of 2nd Meridian. Surveyed by W^m Harris, 1816,
& Thos. Brown, 1819.

Description of the Soil on the interior Sectional lines.

The part within Vincennes Dist. - contains 19,628.41

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
25.33	Land Shilly, Overl. Sugar, Poplar, ash, good farming land.	33.34	Land Rolling, Beech, Sugar, Oak, ash, good farming land.	41.5	Good farming land.
25.36	ditto	37.34	ditto	31.32	Good Beech land not very good.
25.26	Land Shilly, ash, Sugar.	37.25	Land Rolling, Beech, Sugar & Poplar, middling ditto.	29.32	Land Rolling, Beech, Sugar, Poplar, good farming land.
24.25	Loose soil bottom - Oak, ash, Beech, Spruce.	42.27	ditto	24.30	ditto
23.24	ditto	21.22	Land Rolling, rich soil - Oak, ash, Spruce, Beech, Poplar.	20.29	ditto
13.24	Land rich - Timber Oak & Beech.	12.23	ditto	19.20	ditto
13.10	First mile Shilly, middling, farming land, Oak, ash, Beech, Sugar.	15.16	Land Rolling, middling farming land, ash, Oak, Sugar, Poplar.	17.21	Land rather broken - Timber same, middling good farming land.
4.12	ditto	10.15	Bottoms, rich soil - Oak, ash, Beech, Walnut.	17.18	Land broken - Timber same, good soil.
1.12	Broken 2 nd rate - lower Poplar, Beech, Oak &c	9.10	Land Shilly, good soil, Oak, ash, Beech, Birch, Hickory, Walnut.	5.17	Land broken with dark holes - Timber same.
1.2	same	3.10	Land Shilly, Beech, Sugar, Poplar, middling good farming land.	7.8	Land broken - Timber same.
24.25	Land Shilly, rich soil, ash, Oak, Hickory, Spruce, Beech, Sugar.	31.2	ditto	5.8	East & bottom, not Shilly - middling farming land.
26.33	ditto	32.33	ditto	5.6	
26.27	Shilly, middling good farming land, Oak, Beech, Hickory, Hazel, Birch.	25.22	Land broken, middling good farming land.	6.7	Land rolling, middling good farming, Beech, Sugar, Poplar.
23.20	Land Shilly, Oak, Oak, Oak, Beech, Hickory.	28.28	Land rolling, good for farming, Beech, Sugar, Poplar.	7.13	
22.23	ditto	21.29	ditto - Some abundance.	18.19	Land rolling, Beech, Sugar, Poplar, ash, good farming land.
14.23	Low wet bottom - Timber Beech, Oak, ash, Spruce, ash.	20.21	Land rolling, rich soil, Oak, ash, Hickory, Beech, Walnut, Spruce.	10.30	ditto
14.15	Rich bottom - Oak, ash, Beech, Walnut.	16.21	Land same - Timber Walnut, ash, Oak, Spruce, Beech, Poplar, Sugar.	30.31	Land rich land.
11.16	Land rolling, rich soil, Oak, Beech, Walnut, Poplar, Sugar.	16.17	Land broken - Hickory.		
10.14	ditto	5.13	Land Shilly, some hard Beech bottom.		
2.3	Broken 2 nd rate - Sugar, ash, Hickory &c	5.9	Land hard Shilly, hard bottom, middling good farming land.		
2.11	Broken 3 rd rate - Oak, Beech, Hickory, Oak - Spruce.	4.7	Land & good farming land, East very Shilly.		

Township N. 10 North, Range N. 2 West of 2nd Meridian

Posts	Bearing lines	Inches diam.	Courses	Links	Dist.
A	Hackberry	12	N 73 W	9	
	do	15	S 73 E	5	
B	Beech	12	S 54 W	11	
	do	7	N 49 E	13	
C	Hackberry	14	S 34 E	25	
	Beech	12	N 57 E	23	
D	Cherry	14	S 73 W	12	
	Hickory	12	S 66 E	9	
E	Sugar	17	S 46 W	7	
	Beech	13	N 68 E	15	
F	Asp	32	S 66 W	7	
	do	32	N 49 E	27	
G	Beech	13	N 34 E	10	
	do	16	S 74 W	29	
H	Beech	15	S 55 E	11	
	do	22	N 47 W	27	
I	Hornbeam	14	N 36 E	10	
	Coast	18	S 17 W	9	
J	Beech	14	S 54 W	8	
	do	18	N 13 E	29	
K	Maple	17	S 45 W	12	
	B. Oak	5	N 38 E	7	
L	Asp	15	S 25 E	11	
	Maple	8	N 75 W	15	
M	Beech	10	S 47 W	12	
	do	10	N 31 E	40	
N	Asp	9	S 30 W	12	
	Logwood	4	S 60 E	15	
O	Asp	13	S 60 W	22	
	Beech	15	S 7 W	13	
P	Asp	12	N 22 E	28	
	Beech	14	N 10 E	4	
Q	B. Oak	20	N 55 W	14	
	Hickory	5	S 55 E	8	
R	Quint	16	N 60 E	2	
	Sugar	6	S 20 W	36	
S	Sugar	12	S 70 E	3	
	Beech	16	N 48 W	24	
T	do	12	S 24 E	18	
U	Sugar	4	N 59 W	10	
	do	5	S 41 W	14	
V	Hickory	18	S 18 E	14	
	Beech	6	N 27 E	31	
W	Beech	12	N 46 W	9	
	do	14	S 14 W	13	
X	Beech	13	N 45 E	24	
	do	12	S 9 E	17	
Y	Beech	12	S 36 E	17	
	do	6	N 8 W	26	
Z	Beech	11	N 64 E	27	
	do	18	S 16 E	33	
AA	Beech	10	S 20 W	12	
	do	8	N 70 E	34	
AB	Beech	9	S 65 E	32	
	do	10	N 16 W		
AC	Sugar	14	N 40 E	13	
	do	18	S 4 E	15	
AD	Sugar	13	N 42 E	11	
	Beech	6	S 23 E	25	
AE	Beech	18	S 14 W	24	
	Maple	30	N 67 E	20	
AF	Beech	2	East	14	
	do	11	N 75 W	15	

Anterior Section Corners described

Corners of sections	Bearing lines	Inches diam.	Courses	Links	Dist.
25.26.33.36	Beech	10	S 45 W	29	
	do	10	N 18 E	23	
25.24.28.26	B. Walnut	48	S 7 E	70	
	H. Locust	15	N 74 E	59	
13.14.17.14	Beech	5	N 42 E	42	
	do	12	N 22 W	22	
11.12.13.14	Beech	16	N 31 W	17	
	do	18	S 51 E	17	
1.2.11.12	do	14	N 20 W	25	
26.27.34.33	Beech	11	S 78 E	23	
	do	10	N 42 E	30	
22.23.26.27	Beech	20	S 49 E	20	
	Logwood	4	S 55 W	12	
14.15.22.23	H. Oak	15	S 73 E	21	
	do	9	N 62 W	21	
10.11.14.15	Beech	5	South	35	
	do	11	N 36 E	10	
2.3.10.11	Beech	10	N 64 W	10	
	do	32	S 23 E	12	
27.28.33.34	Sugar	7	S 62 W	16	
	Beech	6	N 66 E	21	
31.22.27.28	Beech	10	N 50 E	18	
	do	8	S 74 W	40	
15.16.21.22	Beech	3	West	12	
	do	20	S 57 E	16	
9.10.15.16	Beech	17	N 81 E	27	
	do	18	S 72 W	28	
2.4.9.10	Beech	5	N 54 W	3	
	H. Oak	16	S 40 E	13	
25.24.32.33	Beech	12	N 54 E	5	
	do	8	S 56 W	17	
20.21.28.29	H. Beech	3	S 42 E	10	
	do	12	N 36 E	27	
16.17.20.21	Hickory	8	N 55 E	26	
	Sapwood	3	S 54 W	23	
5.9.16.17	Beech	14	South	20	
	do	14	N 19 E	2	
4.5.8.9	Beech	7	N 29 W	16	
	do	12	S 21 E	37	
29.30.31.32	Beech	6	S 71 E	13	
	H. Oak	14	S 33 W	11	
19.20.29.30	Beech	12	N 75 E	13	
	H. Oak	14	S 20 W	7	
17.18.19.20	Beech	10	S 45 E	12	
	do	10	N 72 W	31	
7.8.17.18	Sugar	10	S 28 W	12	
	Beech	10	N 30 E	45	
5.6.7.8	Beech	8	N 44 W	6	
	do	14	S 72 E	21	


Anterior Quarter Section Corners described

From & to	Bearing lines	Inches diam.	Courses	Links	Dist.
At 1	Beech	6	N 4 E	11	
	H. Oak	18	S 26 E	23	
2	Elm	7	N 50 E	6	
	Sugar	14	S 66 W	23	
3	Sugar	9	N 38 W	19	
	do	12	N 58 E	25	
4	Beech	12	N 38 E	26	
	do	14	N 30 W	32	
5	Beech	14	N 52 E	15	
	H. Oak	30	S 8 E	20	
6	Beech	14	N 23 E	23	
	H. Beech	7	S 60 W	16	
At 1	Beech	11	N 50 W	11	
	do	8	S 74 E	10	
2	Hickory	7	North	7	
	do	12	S 81 E	12	
3	Beech	9	S 59 W	22	
	do	20	N 2 W	14	
4	Sugar	12	N 9 W	18	
	H. Oak	27	S 25 W	17	
5	Beech	9	N 56 W	16	
	Sugar	6	S 46 E	14	
6	Beech	11	N 29 W	23	
	do	14	N 82 E	28	
At 1	B. Oak	36	N 60 W	2	
	Beech	5	N 62 E	21	
2	Elm	3	N 1 W	8	
	Beech	6	N 79 E	9	
3	Beech	8	N 62 E	11	
	do	6	S 54 W	24	
4	Logwood	22	N 48 E	9	
	do	3	S 82 W	8	
5	Beech	12	N 83 W	21	
	do	12	S 46 E	25	
6	Beech	13	N 10 W	2	
	do	4	S 30 E	8	

Anterior Quarter Section Corners described

From & to	Bearing lines	Inches diam.	Courses	Links	Dist.
At 1	Logwood	5	N 46 E	19	
	Beech	15	S 4 E	13	
2	Hickory	16	N 61 W	33	
	do	17	S 71 E	28	
3	H. Oak	30	S 14 W	15	
	do	4	N 7 E	16	
4	Beech	14	East	4	
	do	12	S 51 W	39	
5	do	2	S 61 W	13	
	do	17	S 73 E	19	
6	Beech	13	N 17 E	24	
	Maple	30	N 54 E	20	
At 1	Logwood	8	S 40 E	21	
	Beech	5	N 21 W	18	
2	Beech	15	N 29 W	10	
	do	16	S 29 E	8	
3	B. Gum	18	S 24 W	20	
	Beech	12	N 56 W	20	
4	Beech	12	N 86 W	9	
	do	10	N 80 E	15	
5	Beech	7	S 14 W	8	
	H. Oak	12	N 35 E	32	
6	Beech	4	N 38 E	17	
	do	14	S 60 W	21	
At 1	Sugar	9	N 19 W		
	Beech	9	S 43 W	30	
2	Sugar	12	S 53 E	7	
	Beech	12	S 67 W	11	
3	Maple	3	S 38 W	32	
	do	3	S 85 E	4	
4	B. Oak	36	North	14	
	Beech	16	N 47 E	14	
5	Maple	32	N 51 W	9	
	Beech	17	S 75 E	29	
6	Beech	18	N 38 E	5	
	do	12	S 83 W	28	
At 1	Beech	8	S 54 E	7	
	Sugar	8	N 25 W	23	
2	Sugar	14	S 7 W	25	
	Beech	17	North	9	
3	Sugar	12	N 79 E	10	
	Beech	18	S 35 W	37	
4	Beech	7	N 41 E	4	
	do	17	S 60 W	33	
5	Beech	12	S 75 E	15	
	do	15	N 60 W	33	
6	Beech	20	N 34 W	15	
	do	25	S 84 E	13	
At 1	Logwood	6	S 30 E	6	
	Maple	30	N 73 W	4	
2	Sugar	9	S 60 W	7	
	H. Oak	24	S 60 E	13	
3	Logwood	44	S 61 E	18	
	Beech	24	N 56 E	25	
4	Beech	9	S 22 W	7	
	do	12	S 70 E	23	
5	Beech	11	S 17 W	18	
	do	25	N 52 E	10	
6	H. Oak	17	S 16 W	24	
	Beech	16	N 21 E	13	
At 1	Beech	7	N 30 E	18	
	do	6	S 34 W	6	
2	Beech	12	S 62 E	15	
	do	10	N 34 W	15	
3	Sugar	6	N 83 E	24	
	do	15	S 24 W	24	
4	Hickory	8	S 30 E	4	
	do	12	S 11 E	7	
5	Beech	12	S 24 W	13	
	do	18	N 25 W	9	
6	Sugar	10	N 44 E	2	
	Walnut	30	S 32 E	5	
At 1	Beech	8	S 43 E	18	
	do	10	N 23 E	20	
2	Beech	30	N 33 E	30	
	do	30	S 7 E	17	
3	Beech	14	S 60 W	20	
	do	15	N 89 E	13	
4	Beech	7	S 16 E	14	
	Logwood	3	N 70 E	13	
5	Sycamore	30	N 60 W	23	
	Elm	6	N 35 E	30	
6	Elm	12	corner		

Township No. 10 North Range No. 2 West of Mount Pleasant Position



* See Subdivision book

1972 29 48

INDIANA.
N & W 2 P. M.

IND


Pursuant to a contract with and Instructions from Jacob Marshfield, City-Surveyor General of the United States bearing date the day of
I have admeasured laid out and surveyed the above described township, and do certify that it had such Marks and bounds both natural & artificial
as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
Witnessed this 2nd day of March 1846
William Harris &c.

Township N² X North, Range N² II West of 2nd Meridian.

INDIANA.
N & W 2 P. M.

176 20 ✓
161 77 ✓
85 80 ✓
150 92 ✓
320 ✓
314 24 ✓
320 ✓
247 79 ✓
3 60 ✓
171 07 ✓
152 80 ✓
170 41 ✓
2980.43

Total Quantity 1,552.28
3060.43



Description of Township N² 10 North, Range N² 2 West of 2nd Meridian.

Section & quarter section Corners						Exterior Corners					Quality of the Soil &c	
	Plots	Bearing true	Length diam.	Course true	Dist.	Plots					Between Sections	
2, 3, 10, 11.		Buck	10	N 64 W	10	D	Hickory	10	S 66 E	9	3-4	Broken 2 ^d rate. Oak;
		Do	33	S 23 E	12		Poplar	14	S 75 W	12	10-11	Buck, sugar, Hickory &c
												April 2 ^d rate. Sugar, Ash &c
P to E at	6	Buck	20	N 34 W	15	E	Sugar	17	S 46 W	7	3-10	Same
		Do	29	S 44 E	13		Buck	17	N 68 E	15	2-3	Broken 2 ^d rate. Pine. Same
I to X at	1	Dogwood	3	N 46 E	19	F	Ash	32	S 66 W	7	12-13	Broken 3 ^d rate. Oak, Buck,
		Buck	15	S 4 E	13		Do	32	N 49 E	27		Hickory, Ash, Pine &c
O to 7 at	5	Poplar	32	N 51 W	9	G					11-12	Same
		Buck	17	S 75 E	29						2-11	Same
1, 2, 11, 12		Buck	14	N 20 W	25	H	Buck	19	S 55 E	11	1-12	Broken 2 ^d rate. Sugar
		Do	17	S 79 E	13		Do	22	N 47 W	27		Poplar, Buck, Ash, Oak &c
H to Y at	2	Buck	13	N 29 W	10						1-2	Same
		Do	16	S 29 E	8							
H to Y at	1	Dogwood	9	S 40 E	21	I	Hornbeam	14	N 36 E	10		
		Buck	5	N 21 W	19		Lonest	18	S 17 W	9		
O to P at	6	Buck	18	N 35 E	5	c	Sugar	18	S 65 W	13		
		Do	12	S 43 W	29		Beech	19	S 39 E	25		
						a	Beech	6	S 61 E	17		
							do	15	S 88 W	32		
						c	Ash	23	S 31 W	14		
							Beech	12	S 13 W	22		
						s	Beech	30	N 55 W	37		
							do	16	S 71 E	23		
						S	Beech	16	N 25 E	34		
							do	15	S 50 E	10		
						u	Beech	10	S 61 W	19		
							do	14	S 43 W	32		
						g	Beech	13	N 30 E	10		
							do	16	S 74 W	29		

40 Chains to an inch

IND


True copy from the Original, on file in this Office.

Surveyor General's Office, March 2nd 1820-

Edward Little, Surveyor General

52

Township N^o 10 North, Range N^o 2 West, 2nd Mer.



Surveyed in 1816 by William Harris Deputy Surveyor.


Scale, 40 chains to an Inch.

I certify that the above is a true copy of the recorded plat in this Office.

Surveyor General's Office.
Cincinnati, Sept. 9, 1837

Robert J. Lytle

T. 10 N. R. 2 W. 2nd Mer. ✓





ent. 2. 1/2 p. 162. C

The foregoing sub-divisions of fractional sections
are truly copied from the original plat in this Office
Surveyor General's Office
Cincinnati Jan'y. 20. 1834.

M. T. Williams
Surv. Genl.

Copy?

510 St. R. 2 Mr. Dr. Mer.




Louisiana Vol 4. End L.C

The foregoing Subdivisions of fractional Acreage
are truly Copies from the Original Plat in this Office.
Surveyor General's Office.
Cincinnati Nov 24 1833 } M. T. Williams
Secy. Genl.

Township 2nd N., 2nd E., 2nd M.


8.



Comp.


The foregoing subdivisions of fractional sections are truly
 copied from the original plat in this Office.
 Surveyor General's Office
 Cincinnati Nov. 27, 1833 M. T. Williams
 Sur. Genl.

Township No. 10 North Range No. 2 West of Second Principal Meridian



Pursuant to a contract made and instructions from said Mansfield Esq. Surveyor General of the United States bearing date this day of
 I have accordingly laid out and surveyed the above described Township and do hereby certify that it had such marks and bounds both natural and artificial
 as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
 Witness this 27 day of March 1856
 William H. Harris Esq.

Township No. 10 North Range No. 2 West of Second Principal Meridian



Pursuant to a contract with and instructions from Jacob Mansfield Esq. Surveyor General of the United States bearing date this day of
 I have adorned and laid out and surveyed the above described Township and do hereby certify that it had such marks and bounds both natural and artificial
 as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's office
 Witness my hand this 27 day of March 1876
 William Harris Esq.



Description of Township N^o 10 North, Range N^o 2 West of 2nd Meridian

Section & quarter section corners						Exterior corners				Quality of the soil &c		
	North	Bearing	Distance	Course	Dist	Section					Bottom	
Sec 2, 3, 10, 11.		Buck	10	N 64 W	10	D	Hickory	10	S 66 E	9	3 & 4	Broken 2 ^d rate. Oak, Buck, Sugar, Hickory &c
		Do	33	S 23 E	12		Poplar	14	S 75 W	12		
Pt E at 6		Buck	20	N 34 W	15	E	Sugar	17	S 46 W	7	10-11	Good 2 ^d rate. Sugar, Ash &c
		Do	24	S 44 E	13		Buck	19	N 64 E	15		
I to X at 1		Dogwood	3	N 46 E	19	F	Ash	32	S 66 W	7	2-3	Broken 2 ^d rate. Tim. same
		Buck	15	S 4 E	13		Do	32	N 49 E	27		
O to F at 5		Poplar	32	N 51 W	9	G					12-13	Broken 3 ^d rate. Oak, Buck, Hickory, Ash, Spruce &c
		Buck	17	S 75 E	29							
1, 2, 11, 12		Buck	14	N 20 W	25	H	Buck	18	S 55 E	11	2-11	Same
		Do	19	S 79 E	13		Do	22	N 47 W	27		
H to Y at 2		Buck	15	N 29 W	10	I	Hornbeam	14	N 36 E	10	1-2	Same
		Do	16	S 29 E	4		Liquid	18	S 17 W	9		
H to Y at 1		Dogwood	9	S 40 E	21	J	Sugar	18	N 65 W	15	1-12	Broken 2 ^d rate. Sugar, Poplar, Buck, Ash, Oak &c
		Buck	5	N 21 W	19		Buck	19	S 39 E	25		
O to F at 6		Buck	19	N 35 E	5	K	Buck	16	N 61 E	17	1-2	Same
		Do	12	S 43 W	25		Do	15	S 88 W	52		
						L	Ash	23	S 31 W	14		
							Buck	12	N 15 W	22		
						M	Buck	30	N 55 W	37		
							Do	16	S 71 E	23		
						N	Buck	16	N 52 E	34		
							Do	15	S 34 E	41		
						O	Buck	10	S 64 W	16		
							Do	14	N 48 W	32		
						P	Buck	10	S 64 W	16		
							Do	14	N 48 W	32		

A true copy from the Original, on file in this
 Surveyor General's Office, March 2nd 1825